




Karndean  
Designflooring

Commercial



Opus





# Opus Wood

Our Opus woods offer fresh, contemporary visuals in some of our largest glued-down plank sizes. Choose from a variety of styles, from the rustic design of Ignea to the clean, modern look of Washed Walnut.




Natural Walnut WP326

# Opus Enhance



Our most popular Opus products are available as a custom order with an **enhanced slip resistance**. Contact your Commercial Business Manager for more details about our Opus Enhance products.



Textum WP331

## Try our Floorstyle Floor Designer


View a larger representation of each product in commercial spaces by using our interactive Floorstyle design tool.



[www.karndean.com/commercialfloorstyle](http://www.karndean.com/commercialfloorstyle)

# Opus Stone

Our Opus stones offer fresh, contemporary visuals in some of our largest tile sizes. From the travertine and concrete inspired Urbus to the sleek, limestone effect of Fumo, this range allows you to create a clean, modern design.



Clarus SP714

It's not just the floor you lay, but how you lay it that makes a lasting impression. We offer numerous pattern possibilities to make the most of your space. Add design strips and borders for a truly unique look.

## Wood layouts

Herringbone



Chevron



Broken Chevron



Ship Lap



Striped



Basket Weave




Staggered



## Stone layouts

Brick Lay



Diagonal



Diamond



Herringbone



Striped



## Mixed layouts

Mix wood and stone designs from the same product range to ensure the product thicknesses and visuals are compatible with one another.


Plaid



Alternating



Striped








Textum **WP331**

36" x 6" (915mm x 152mm)



Grano **WP311**

36" x 6" (915mm x 152mm)




Bleached Grey Walnut **WP329**

36" x 6" (915mm x 152mm)



Canitia **WP322**

36" x 6" (915mm x 152mm)



Washed Walnut **WP328**

36" x 6" (915mm x 152mm)



Palleo **WP312**

36" x 6" (915mm x 152mm)



Arrado **WP325**

36" x 6" (915mm x 152mm)






Natural Walnut **WP326**

36" x 6" (915mm x 152mm)




Carbo **WP318**

36" x 6" (915mm x 152mm)



Tenebra Walnut **WP330**

36" x 6" (915mm x 152mm)



Rubra **WP316**

36" x 6" (915mm x 152mm)




Ignea **WP313**

36" x 6" (915mm x 152mm)



Weathered Elm **WP511**

36" x 4" (915mm x 102mm)



Golden Teak **WP513**

36" x 4" (915mm x 102mm)





Niveus **WP411**

48" x 9" (1219mm x 228mm)



Magna **WP413**

48" x 9" (1219mm x 228mm)



Lapis **SP711**

18" x 36" (457mm x 915mm)



Clarus **SP714**

18" x 36" (457mm x 915mm)



Texo **SP718**

6" x 36" (152mm x 915mm)



Robigo **SP715**

18" x 36" (457mm x 915mm)





Terra **SP212** 18" x 24" (457mm x 610mm)



Urbus **SP213** 18" x 24" (457mm x 610mm)



Casablanca **SP219** 18" x 24" (457mm x 610mm)



Ferra **SP215** 18" x 24" (457mm x 610mm)



Fumo **SP216** 18" x 24" (457mm x 610mm)  
Fumo **SM-SP216** 3" x 18" (76mm x 457mm)



Marrakesh **SP220** 18" x 24" (457mm x 610mm)




# Technical Specification

	Standard	Result
Thickness		2.5 mm
Size		See separate table
Wear layer		20 mil (0.5 mm)
Surface treatment		K-Guard+® PU Coating
Warranty*	Commercial Residential	15 years Lifetime
Beveled edge		Micro
Classification	ASTM F1700	Class III Type B
Reaction to fire	ASTM E648-06	Class I
Smoke density	ASTM E662-06	Pass (<450)
Flammability test	FF I-70; Federal Approval	Pass
Slip resistance**	ASTM D2407	Pass (Dry 0.89)
Staining resistance	ASTM F925	Pass
Light fastness	ASTM F1515	Pass ΔE = 5.0
Abrasion resistance	ASTM D3884	124000 cycles
Dimensional stability	ASTM F2199	Pass -0.004"/lin.ft
Acoustic impact noise reduction	ASTM E2179-09 ASTM E492-09	ΔIIC = 4 dB IIC = 44 dB (6" slab w/drop ceiling) IIC = 71 dB (6" slab w/drop ceiling + QuietChoice) For settings that require additional noise reduction, contact your Commercial Business Manager for our portfolio of acoustic solutions.
Static load	ASTM F970	2000 psi
Flexibility	ASTM F137	Pass
Adhesive	Please refer to our installation instructions.	
Recycling		Suitable
Phthalate free		Yes

\* Subject to terms, please see our website. Full technical data is available on our website.

\*\* Slip resistance is measured on freestanding ex-factory product. Slip resistance can be affected by many factors including but not limited to: product installation and underlayment, surface contamination, use, wear and how the product is maintained. Textural variation along the surface of the product can affect nominal values.



## Opus Wood

Product	Size (inch)	Box quantity
WP511, WP513	36" x 4"	36 sq.ft 36 Planks
WP311, WP312, WP313, WP316, WP318, WP322, WP325, WP326, WP328, WP329, WP330, WP331	36" x 6"	36 sq.ft 24 Planks
WP411, WP413	48" x 9"	36 sq.ft 12 Planks

## Opus Stone

Product	Size (inch)	Box quantity
SP212, SP213, SP215, SP216, SP219, SP220, SP711	18" x 24"	36 sq.ft 12 Tiles
SP714, SP715	18" x 36"	36 sq.ft 8 Tiles
SP718	6" x 36"	36 sq.ft 24 Tiles
SM-SP216	3" x 18"	36 sq.ft 96 Pieces

Manufactured to:  
ISO 9001 Environmental Standard  
ISO 14001 Quality Standard

## Karndean Designflooring Canada

#3-3250 Harvester Road, Burlington, Ontario L7N 3W9

Phone: 866-819-6825

Email: info@karndeancanada.ca



www.karndean.com

Cover image: Cover image: Bleached Grey Walnut **WP329**

## Colour and Pattern Reproduction

We are careful to make sure our brochures are accurate and printed to very high standards, but photography and printing cannot always create a perfect representation of our products. For this reason we strongly recommend that you look at a sample of any product you are considering before placing your order.

All of our products are inspired by things we have seen in the natural world. Just as variation in colour and detail is part of the unique beauty of natural materials, it is also a feature of many of our designs. This means that with some of our products you will see natural variation when your floor is laid. If in doubt, ask to see a larger sample of the product.